SAFETY DATA SHEET SA CERT ORGANIC PETITGRAIN OIL

SECTION 4. Identification of th	a substance/minture and of the company/undertaking
	ne substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	SA CERT ORGANIC PETITGRAIN OIL
Product number	990117
CAS number	72968-50-4
EC number	277-143-2
1.2. Relevant identified uses of	f the substance or mixture and uses advised against
Identified uses	Concentrated material for manufacturing purposes only.
1.3. Details of the supplier of the	ne safety data sheet
Supplier	Ancient Wisdom Marketing Ltd
	Block B
	Parkwood Business Park
	75 Parkwood Road
	Sheffield
	S3 8AL +44 (0) 114 2729165
1.4. Emergency telephone nun	nber
Emergency telephone	+44 (0) 114 2729165
SECTION 2: Hazards identifica	ation
2.1. Classification of the substa	ance or mixture
Classification	
Physical hazards	Not Classified
Health hazards	Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Asp. Tox. 1 - H304
Environmental hazards	Aquatic Chronic 2 - H411
Classification (67/548/EEC or 1999/45/EC)	Xn; R65. Xi; R41, R38. N; R51/53. R43
2.2. Label elements	
EC number	277-143-2
Pictogram	

Signal word	Danger
Hazard statements	H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H411 Toxic to aquatic life with long lasting effects.
Precautionary statements	P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor. P302+P352 IF ON SKIN: Wash with plenty of water. P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
Contains	GERANYL ACETATE, GERANIOL, OCIMENE, MYRCENE , LIMONENE, BETA- CARYOPHYLLENE , PIN-2(10)-ENE (BETA-PINENES), NEROL, p-MENTHA-1,4(8)-DIENE (TERPINOLENE)
Supplementary precautionary statements	 P272 Contaminated work clothing should not be allowed out of the workplace. P331 Do NOT induce vomiting. P332+P313 If skin irritation occurs: Get medical advice/attention. P362 Take off contaminated clothing. P363 Wash contaminated clothing before reuse. P391 Collect spillage. P405 Store locked up.

2.3. Other hazards

SECTION 3: Composition/information on ingredients		
3.2. Mixtures		
LINALYL ACETATE		30-60%
CAS number: 115-95-7	EC number: 204-116-4	
Classification	Classification (67/548/EEC or 1999/45/EC)	
Skin Irrit. 2 - H315	Xi; R36/38	
Eye Irrit. 2 - H319		
LINALOOL		10-30%
CAS number: 78-70-6	EC number: 201-134-4	
Classification	Classification (67/548/EEC or 1999/45/EC)	
Skin Irrit. 2 - H315	Xi; R36/38	
Eye Irrit. 2 - H319		
ALPHA-TERPINEOL		5-10%
CAS number: 10482-56-1	EC number: 233-986-8	
Classification	Classification (67/548/EEC or 1999/45/EC)	
Skin Irrit. 2 - H315	Xi; R36/38	
Eye Irrit. 2 - H319		

GERANYL ACETATE		1-5%
CAS number: 105-87-3	EC number: 203-341-5	
Classification Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Aquatic Chronic 2 - H411	Classification (67/548/EEC or 1999/45/EC) Xi; R38. N; R51/53. R43	
OCIMENE		1-5%
CAS number: —		
Classification Flam. Liq. 3 - H226 Asp. Tox. 1 - H304	Classification (67/548/EEC or 1999/45/EC) Xn; R65. R10	
GERANIOL		1-5%
CAS number: 106-24-1	EC number: 203-377-1	
Classification Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317	Classification (67/548/EEC or 1999/45/EC) Xi; R41, R38. R43	
LIMONENE		1-5%
CAS number: 138-86-3	EC number: 205-341-0	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	Classification (67/548/EEC or 1999/45/EC) Xn; R65. Xi; R38. N; R50/53. R10, R43	
MYRCENE		1-5%
CAS number: 123-35-3	EC number: 204-622-5	
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Asp. Tox. 1 - H304	Classification (67/548/EEC or 1999/45/EC) Xn; R65. Xi; R36/38. R10	

BETA-CARYOPHYLLENE		1-5%
CAS number: 87-44-5	EC number: 201-746-1	
Classification Asp. Tox. 1 - H304	Classification (67/548/EEC or 1999/45/EC) Xn; R65	
NEROL		1-5%
CAS number: 106-25-2	EC number: 203-378-7	
Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1B - H317	Classification (67/548/EEC or 1999/45/EC) Xi; R36/38. R43	
PIN-2(10)-ENE (BETA-PINE	NES)	1-5%
CAS number: 127-91-3	EC number: 204-872-5	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1B - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	Classification (67/548/EEC or 1999/45/EC) Xn; R65. Xi; R38. N; R50/53. R43, R10	
p-MENTHA-1,4(8)-DIENE (1 CAS number: 586-62-9 M factor (Chronic) = 1	EC number: 209-578-0	<19
Classification Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Chronic 1 - H410	Classification (67/548/EEC or 1999/45/EC) Xn; R65. N; R50/53. R43	
The Full Text for all R-Phrase	s and Hazard Statements are Displayed in Section 16.	
SECTION 4: First aid measu		
4.1. Description of first aid mo		
nhalation ngestion	Move affected person to fresh air at once. Get medical attention if any discomfort cont Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention immediately.	
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Get r attention if symptoms are severe or persist after washing.	nedica
Eye contact	Remove any contact lenses and open eyelids wide apart. Rinse immediately with plen water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfor continues.	-

4.2. Most important symptoms and effects, both acute and delayed

General information	Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. See Section 11 for additional information on health hazards.		
4.3. Indication of any immediat	e medical attention and special treatment needed		
Notes for the doctor	No specific recommendations.		
SECTION 5: Firefighting meas	ures		
5.1. Extinguishing media			
Suitable extinguishing media	Extinguish with the following media: Foam, carbon dioxide or dry powder.		
Unsuitable extinguishing media	Water.		
5.2. Special hazards arising fro	om the substance or mixture		
Specific hazards	Toxic gases or vapours.		
5.3. Advice for firefighters			
Protective actions during firefighting	Containers close to fire should be removed or cooled with water.		
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.		
SECTION 6: Accidental release measures			
6.1. Personal precautions, prot	ective equipment and emergency procedures		
Personal precautions	Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. No smoking, sparks, flames or other sources of ignition near spillage.		
6.2. Environmental precautions	3		
Environmental precautions	Do not discharge into drains or watercourses or onto the ground.		
6.3. Methods and material for containment and cleaning up			
Methods for cleaning up	Keep combustible materials away from spillage. Eliminate all sources of ignition. Provide adequate ventilation. Contain and absorb spillage with sand, earth or other non-combustible material. The contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Wash thoroughly after dealing with a spillage.		
6.4. Reference to other sections			
SECTION 7: Handling and storage			

7.1. Precautions for safe handling

Usage precautions	Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with skin, eyes and clothing.	
Advice on general occupational hygiene	Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet.	
7.2. Conditions for safe storage, including any incompatibilities		

Storage precautionsStore in tightly-closed, original container in a dry, cool and well-ventilated place. Keep away
from heat, sparks and open flame. Protect from freezing and direct sunlight.

7.3. Specific end use(s)		
SECTION 8: Exposure Contr	rols/personal protection	
8.1. Control parameters		
8.2. Exposure controls		
Protective equipment		
Appropriate engineering controls	Provide adequate ventilation.	
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.	
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.	
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact. Wear apron or protective clothing in case of contact.	
Hygiene measures	No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products.	
Respiratory protection	No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.	
Environmental exposure controls	Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.	
SECTION 9: Physical and C	hemical Properties	
9.1. Information on basic phy	vsical and chemical properties	
Appearance	Liquid.	
Colour	Pale yellow	
Odour	Characteristic.	
Flash point	72°C	
Relative density	~ 0.887 @ 20°C	
9.2. Other information		
Refractive index	1.452 – 1.468 @ 20°C	
SECTION 10: Stability and reactivity		
10.1. Reactivity		
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures.	
10.3. Possibility of hazardous reactions		
Possibility of hazardous reactions	Will not polymerise.	

10.4. Conditions to avoid			
Conditions to avoid	Avoid heat, flames and other sources of ignition.		
10.5. Incompatible materials			
Materials to avoid	Strong oxidising agents. Strong acids. Strong alkalis.		
10.6. Hazardous decomposit	ion products		
Hazardous decomposition products	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.		
SECTION 11: Toxicological in	nformation		
11.1. Information on toxicolog	gical effects		
Ingestion	May be fatal if swallowed and enters airways.		
Skin contact	Causes skin irritation. May cause an allergic skin reaction.		
Eye contact	Causes serious eye damage.		
SECTION 12: Ecological Info	rmation		
Ecotoxicity	Toxic to aquatic life with long lasting effects.		
12.1. Toxicity			
Ecological information on ing	redients.		
	LIMONENE		
Acute aquatic to	oxicity		
LE(C)₅₀	$0.1 \le L(E)C50 \le 1$		
M factor (Acute)) 1		
Chronic aquatic	toxicity		
M factor (Chron	ic) 1		
PIN-2(10)-ENE (BETA-PINENES)			
Acute aquatic to	Acute aquatic toxicity		
LE(C)₅₀	$0.1 < L(E)C50 \le 1$		
M factor (Acute)) 1		
Chronic aquatic	toxicity		
M factor (Chron	ic) 1		
12.2. Persistence and degradability			
Persistence and degradability. The product is expected to be biodegradable			

Persistence and degradability The product is expected to be biodegradable.

12.3. Bioaccumulative potentia	-
Bioaccumulative potential	The product does not contain any substances expected to be bioaccumulating.
12.4. Mobility in soil	
Mobility	The product is insoluble in water.
12.5. Results of PBT and vPvB	assessment
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
12.6. Other adverse effects	
SECTION 13: Disposal conside	erations
13.1. Waste treatment method	S
Disposal methods	Dispose of waste product or used containers in accordance with local regulations
SECTION 14: Transport inform	ation
14.1. UN number	
UN No. (ADR/RID)	3082
UN No. (IMDG)	3082
UN No. (ICAO)	3082
UN No. (ADN)	3082
14.2. UN proper shipping name	
Proper shipping name (ADR/RID)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PETITGRAIN OIL)
Proper shipping name (IMDG)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PETITGRAIN OIL)
Proper shipping name (ICAO)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PETITGRAIN OIL)
Proper shipping name (ADN)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PETITGRAIN OIL)
14.3. Transport hazard class(e	s)
ADR/RID class	9
ADR/RID classification code	M6
ADR/RID label	9
IMDG class	9
ICAO class/division	9
ADN class	9
Transport labels	
9	
14.4. Packing group	
ADR/RID packing group	III
IMDG packing group	III

ADN packing group	III
ICAO packing group	III
14.5. Environmental hazards	
Environmentally hazardous su	bstance/marine pollutant
14.6. Special precautions for u	ser
EmS	F-A, S-F
ADR transport category	3
Emergency Action Code	•3Z
Hazard Identification Number (ADR/RID)	90
Tunnel restriction code	(E)
14.7. Transport in bulk accordi	ng to Annex II of MARPOL73/78 and the IBC Code
Transport in bulk according to	Not applicable.
Annex II of MARPOL 73/78 and the IBC Code	
SECTION 15: Regulatory infor	mation
	nmental regulations/legislation specific for the substance or mixture
EU legislation	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16
	December 2008 on classification, labelling and packaging of substances and mixtures (as
	amended).
	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18
	December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
Guidance	Workplace Exposure Limits EH40.
15.2. Chemical safety assessn	nent
SECTION 16: Other information	n
Kou literatura references and	European Chemicale Azenau http://eaha.auropa.au/
Key literature references and	European Chemicals Agency, http://echa.europa.eu/

sources for data

Issued by	Regulatory Manager
Revision date	08/07/2015
Revision	0

Risk phrases in full	R10 Flammable.
	R36/38 Irritating to eyes and skin.
	R38 Irritating to skin.
	R41 Risk of serious damage to eyes.
	R43 May cause sensitisation by skin contact.
	R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
	R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
	R65 Harmful: may cause lung damage if swallowed.
Hazard statements in full	H226 Flammable liquid and vapour.
	H304 May be fatal if swallowed and enters airways.
	H315 Causes skin irritation.
	H317 May cause an allergic skin reaction.
	H318 Causes serious eye damage.
	H319 Causes serious eye irritation.
	H400 Very toxic to aquatic life.
	H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.