## SAFETY DATA SHEET SA CERT ORGANIC ROSE GERANIUM OIL

SECTION 1: Identification of the	ne substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	SA CERT ORGANIC ROSE GERANIUM OIL
Product number	90005
CAS number	8000-46-2
EC number	290-140-0
1.2. Relevant identified uses o	f the substance or mixture and uses advised against
Identified uses	Concentrated material for manufacturing purposes only.
1.3. Details of the supplier of the	he safety data sheet
Supplier	Ancient Wisdom Marketing Ltd
	Block B
	Parkwood Business Park
	75 Parkwood Road
	Sheffield S3 8AL
	+44 (0) 114 2729165
1.4. Emergency telephone nur Emergency telephone	nber +44 (0) 114 2729165
	+44 (0) 114 2729165
Emergency telephone	+44 (0) 114 2729165 ation
Emergency telephone SECTION 2: Hazards identifica	+44 (0) 114 2729165 ation
Emergency telephone SECTION 2: Hazards identifica 2.1. Classification of the substa	+44 (0) 114 2729165 ation
Emergency telephone SECTION 2: Hazards identifica 2.1. Classification of the substa Classification	+44 (0) 114 2729165 ation ance or mixture
Emergency telephone SECTION 2: Hazards identifica 2.1. Classification of the substa Classification Physical hazards	+44 (0) 114 2729165 ation ance or mixture Not Classified
Emergency telephone SECTION 2: Hazards identifica 2.1. Classification of the substa Classification Physical hazards Health hazards	+44 (0) 114 2729165 ation ance or mixture Not Classified Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Chronic 2 - H411
Emergency telephone SECTION 2: Hazards identificate 2.1. Classification of the substate <u>Classification</u> Physical hazards Health hazards Environmental hazards Classification (67/548/EEC or	+44 (0) 114 2729165 ation ance or mixture Not Classified Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Chronic 2 - H411
Emergency telephone SECTION 2: Hazards identification 2.1. Classification of the substation Classification Physical hazards Health hazards Environmental hazards Classification (67/548/EEC or 1999/45/EC)	+44 (0) 114 2729165 ation ance or mixture Not Classified Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Chronic 2 - H411
Emergency telephone SECTION 2: Hazards identification 2.1. Classification of the substation Classification Physical hazards Health hazards Environmental hazards Classification (67/548/EEC or 1999/45/EC) 2.2. Label elements	+44 (0) 114 2729165 ation ance or mixture Not Classified Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Chronic 2 - H411 Xi;R38,R41. R43. N;R51/53.

Signal word	Danger
Hazard statements	H318 Causes serious eye damage. H411 Toxic to aquatic life with long lasting effects. H317 May cause an allergic skin reaction. H315 Causes skin irritation. H304 May be fatal if swallowed and enters airways.
Precautionary statements	<ul> <li>P261 Avoid breathing vapour/spray.</li> <li>P273 Avoid release to the environment.</li> <li>P280 Wear protective gloves/protective clothing/eye protection/face protection.</li> <li>P302+P352 IF ON SKIN: Wash with plenty of water.</li> <li>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P333+P313 If skin irritation or rash occurs: Get medical advice/attention.</li> </ul>
Contains	CITRONELLOL, GERANIOL, NEROL, GERANYL ACETATE, PIN-2(3)-ENE (ALPHA- PINENES), LIMONENE
Supplementary precautionary statements	<ul> <li>P264 Wash contaminated skin thoroughly after handling.</li> <li>P272 Contaminated work clothing should not be allowed out of the workplace.</li> <li>P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.</li> <li>P321 Specific treatment (see medical advice on this label).</li> <li>P331 Do NOT induce vomiting.</li> <li>P332+P313 If skin irritation occurs: Get medical advice/attention.</li> <li>P362+P364 Take off contaminated clothing and wash it before reuse.</li> <li>P391 Collect spillage.</li> <li>P405 Store locked up.</li> <li>P501 Dispose of contents/container in accordance with national regulations.</li> </ul>

### 2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures		
CITRONELLOL		30-60%
CAS number: 106-22-9	EC number: 203-375-0	
Classification	Classification (67/548/EEC or 1999/45/EC)	
Skin Irrit. 2 - H315	Xi; R36/38. N; R51/53. R43	
Eye Irrit. 2 - H319		
Skin Sens. 1B - H317		
Aquatic Chronic 2 - H411		
GERANIOL		10-30%
CAS number: 106-24-1	EC number: 203-377-1	
Classification	Classification (67/548/EEC or 1999/45/EC)	
Skin Irrit. 2 - H315	Xi; R41, R38. R43	
Eye Dam. 1 - H318		
Skin Sens. 1 - H317		

LINALOOL		10-30%
CAS number: 78-70-6	EC number: 201-134-4	
<b>Classification</b> Skin Irrit. 2 - H315 Eye Irrit. 2 - H319	<b>Classification (67/548/EEC or 1999/45/EC)</b> Xi; R36/38	
BETA-CARYOPHYLLENE		1-5%
CAS number: 87-44-5	EC number: 201-746-1	
<b>Classification</b> Asp. Tox. 1 - H304	<b>Classification (67/548/EEC or 1999/45/EC)</b> Xn; R65	
NEROL		1-5%
CAS number: 106-25-2	EC number: 203-378-7	
<b>Classification</b> Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1B - H317	Classification (67/548/EEC or 1999/45/EC) Xi; R36/38. R43	
GERANYL ACETATE		1-5%
CAS number: 105-87-3	EC number: 203-341-5	
<b>Classification</b> Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Aquatic Chronic 2 - H411	Classification (67/548/EEC or 1999/45/EC) Xi; R38. N; R51/53. R43	
PIN-2(3)-ENE (ALPHA-PINENES)		<1%
CAS number: 80-56-8	EC number: 201-291-9	
<b>Classification</b> Skin Irrit. 2 - H315 Skin Sens. 1B - H317 Asp. Tox. 1 - H304	Classification (67/548/EEC or 1999/45/EC) Xn; R65. Xi; R38. R43	
LIMONENE		<1%
CAS number: 138-86-3	EC number: 205-341-0	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	Classification (67/548/EEC or 1999/45/EC) Xn; R65. Xi; R38. N; R50/53. R10, R43	

### The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measure	98
4.1. Description of first aid me	asures
Inhalation	Move affected person to fresh air at once. Get medical attention if any discomfort continues.
Ingestion	Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention immediately.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if symptoms are severe or persist after washing.
Eye contact	Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.
4.2. Most important symptoms	and effects, both acute and delayed
General information	Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. See Section 11 for additional information on health hazards.
4.3. Indication of any immedia	te medical attention and special treatment needed
Notes for the doctor	No specific recommendations.
SECTION 5: Firefighting meas	sures
5.1. Extinguishing media	
Suitable extinguishing media	Extinguish with the following media: Foam, carbon dioxide or dry powder.
Unsuitable extinguishing media	Water.
5.2. Special hazards arising fro	om the substance or mixture
Specific hazards	Toxic gases or vapours.
5.3. Advice for firefighters	
Protective actions during firefighting	Containers close to fire should be removed or cooled with water.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
SECTION 6: Accidental release	e measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Borgonal proceutions	Wear suitable protective equipment including gloves, geggles/face shield, respirator, beats

Personal precautions Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. No smoking, sparks, flames or other sources of ignition near spillage.

### 6.2. Environmental precautions

**Environmental precautions** Do not discharge into drains or watercourses or onto the ground.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Keep combustible materials away from spillage. Eliminate all sources of ignition. Provide adequate ventilation. Contain and absorb spillage with sand, earth or other non-combustible material. The contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Wash thoroughly after dealing with a spillage.

#### 6.4. Reference to other sections

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Usage precautions	Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with skin, eyes and clothing.	
Advice on general occupational hygiene	Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep away from heat, sparks and open flame. Protect from freezing and direct sunlight.	

### 7.3. Specific end use(s)

SECTION 8: Exposure Controls/personal protection

### 8.1. Control parameters

#### 8.2. Exposure controls

#### Protective equipment

	3
--	---

Appropriate engineering controls	Provide adequate ventilation.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact. Wear apron or protective clothing in case of contact.
Hygiene measures	No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products.
Respiratory protection	No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.
Environmental exposure controls	Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.

SECTION 9: Physical and Che	emical Properties	
9.1. Information on basic physical and chemical properties		
Appearance	Clear liquid. Mobile liquid. Liquid.	
Colour	Light (or pale). Green. / Yellow.	
Odour	Characteristic.	
Relative density	0.870 - 0.910 @ 20 @ °C	
9.2. Other information		
Refractive index	1.450 - 1.480 @ 20°C	
SECTION 10: Stability and rea	activity	
10.1. Reactivity		
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures.	
10.3. Possibility of hazardous	reactions	
Possibility of hazardous reactions	Will not polymerise.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid heat, flames and other sources of ignition.	
10.5. Incompatible materials		
Materials to avoid	Strong oxidising agents. Strong acids. Strong alkalis.	
10.6. Hazardous decompositio	on products	
10.6. Hazardous decomposition Hazardous decomposition products	on products Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.	
Hazardous decomposition	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.	
Hazardous decomposition products	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.	
Hazardous decomposition products SECTION 11: Toxicological in	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.	
Hazardous decomposition products SECTION 11: Toxicological in 11.1. Information on toxicologi	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. formation ical effects	
Hazardous decomposition products SECTION 11: Toxicological in 11.1. Information on toxicologi	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. formation ical effects May be fatal if swallowed and enters airways.	
Hazardous decomposition products SECTION 11: Toxicological in 11.1. Information on toxicologi Ingestion Skin contact	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. formation ical effects May be fatal if swallowed and enters airways. Causes skin irritation. May cause sensitisation by skin contact. Causes serious eye damage.	
Hazardous decomposition products SECTION 11: Toxicological in 11.1. Information on toxicologi Ingestion Skin contact Eye contact	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. formation ical effects May be fatal if swallowed and enters airways. Causes skin irritation. May cause sensitisation by skin contact. Causes serious eye damage.	
Hazardous decomposition products SECTION 11: Toxicological in 11.1. Information on toxicologi Ingestion Skin contact Eye contact SECTION 12: Ecological Infor	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. formation ical effects May be fatal if swallowed and enters airways. Causes skin irritation. May cause sensitisation by skin contact. Causes serious eye damage. mation	
Hazardous decomposition products SECTION 11: Toxicological in 11.1. Information on toxicologi Ingestion Skin contact Eye contact SECTION 12: Ecological Infor Ecotoxicity <u>12.1. Toxicity</u> 12.2. Persistence and degrada	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. formation ical effects May be fatal if swallowed and enters airways. Causes skin irritation. May cause sensitisation by skin contact. Causes serious eye damage. mation Toxic to aquatic life with long lasting effects. ability	
Hazardous decomposition products SECTION 11: Toxicological in 11.1. Information on toxicologi Ingestion Skin contact Eye contact SECTION 12: Ecological Infor Ecotoxicity <u>12.1. Toxicity</u> 12.2. Persistence and degrada	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. formation ical effects May be fatal if swallowed and enters airways. Causes skin irritation. May cause sensitisation by skin contact. Causes serious eye damage. mation Toxic to aquatic life with long lasting effects.	
Hazardous decomposition products SECTION 11: Toxicological in 11.1. Information on toxicologi Ingestion Skin contact Eye contact SECTION 12: Ecological Infor Ecotoxicity <u>12.1. Toxicity</u> 12.2. Persistence and degrada	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. formation ical effects May be fatal if swallowed and enters airways. Causes skin irritation. May cause sensitisation by skin contact. Causes serious eye damage. mation Toxic to aquatic life with long lasting effects. ability The product is expected to be biodegradable. al	
Hazardous decomposition products SECTION 11: Toxicological in 11.1. Information on toxicologi Ingestion Skin contact Eye contact SECTION 12: Ecological Infor Ecotoxicity <u>12.1. Toxicity</u> 12.2. Persistence and degrada Persistence and degradability	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.  formation ical effects May be fatal if swallowed and enters airways. Causes skin irritation. May cause sensitisation by skin contact. Causes serious eye damage.  mation Toxic to aquatic life with long lasting effects.  ability The product is expected to be biodegradable.	
Hazardous decomposition products SECTION 11: Toxicological in 11.1. Information on toxicologi Ingestion Skin contact Eye contact SECTION 12: Ecological Infor Ecotoxicity <u>12.1. Toxicity</u> 12.2. Persistence and degrada Persistence and degradability 12.3. Bioaccumulative potentia	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. formation ical effects May be fatal if swallowed and enters airways. Causes skin irritation. May cause sensitisation by skin contact. Causes serious eye damage. mation Toxic to aquatic life with long lasting effects. ability The product is expected to be biodegradable. al	

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB** This product does not contain any substances classified as PBT or vPvB. assessment

#### 12.6. Other adverse effects

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	

Disposal methods Dispose of waste product or used containers in accordance with local regulations

SECTION 14: Transport information		
14.1. UN number		
UN No. (ADR/RID)	3082	
UN No. (IMDG)	3082	
UN No. (ICAO)	3082	
UN No. (ADN)	3082	
14.2. UN proper shipping name	9	
Proper shipping name (ADR/RID)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS CITRONELLOL, GERANYL ACETATE)	
Proper shipping name (IMDG)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS CITRONELLOL, GERANYL ACETATE)	
Proper shipping name (ICAO)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS CITRONELLOL, GERANYL ACETATE)	
Proper shipping name (ADN)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS CITRONELLOL, GERANYL ACETATE)	

14.3. Transport hazard class(es)

ADR/RID class	9
ADR/RID classification code	M6
ADR/RID label	9
IMDG class	9
ICAO class/division	9
ADN class	9

Transport labels

### 14.4. Packing group

ADR/RID packing group	
IMDG packing group	ш
ADN packing group	ш
ICAO packing group	III

### 14.5. Environmental hazards

### Environmentally hazardous substance/marine pollutant



14.6. Special precautions for user		
EmS	F-A, S-F	
ADR transport category	3	
Emergency Action Code	•3Z	
Hazard Identification Number (ADR/RID)	90	
Tunnel restriction code	(E)	

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

### SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	<ul> <li>Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16</li> <li>December 2008 on classification, labelling and packaging of substances and mixtures (as amended).</li> <li>Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18</li> <li>December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).</li> </ul>
Guidance	Workplace Exposure Limits EH40.

### 15.2. Chemical safety assessment

### SECTION 16: Other information

Key literature references and sources for data	European Chemicals Agency, http://echa.europa.eu/
Issued by	Regulatory Manager
Revision date	03/06/2015
Revision	0
Risk phrases in full	<ul> <li>R10 Flammable.</li> <li>R38 Irritating to skin.</li> <li>R41 Risk of serious damage to eyes.</li> <li>R43 May cause sensitisation by skin contact.</li> <li>R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.</li> <li>R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.</li> <li>R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.</li> <li>R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.</li> <li>R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.</li> </ul>

Hazard statements in full	H226 Flammable liquid and vapour.
	H304 May be fatal if swallowed and enters airways.
	H315 Causes skin irritation.
	H317 May cause an allergic skin reaction.
	H318 Causes serious eye damage.
	H319 Causes serious eye irritation.
	H400 Very toxic to aquatic life.
	H410 Very toxic to aquatic life with long lasting effects.
	H411 Toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.